

# **SAFETY DATA SHEET**

Version 6.2 Revision Date 17.10.2019 Print Date 21.08.2020

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifiers**

Product name	: Sodium hydroxide
Product Number	: 306576
Brand	: SIGALD
Index-No.	: 011-002-00-6
CAS-No.	: 1310-73-2

# **1.2** Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

#### 1.3 Details of the supplier of the safety data sheet

Company	:	SIGMA-ALDRICH CANADA CO. 2149 WINSTON PARK DRIVE OAKVILLE ON L6H 6J8 CANADA
Telephone Fax	-	+1 905 829-9500 +1 905 829-9292

#### **1.4 Emergency telephone number**

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

# **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

# GHS Classification in accordance with Hazardous Products Regulations (HPR) (SOR/2015-17)

Corrosive to metals (Category 1), H290 Skin corrosion (Category 1A), H314 Eye irritation (Category 2A), H319 Short-term (acute) aquatic hazard (Category 3), H402

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 2.2 GHS Label elements, including precautionary statements

Pictogram

SIGALD - 306576

Page 1 of 10



Signal word	Danger
Hazard statement(s) H290 H314 H402	May be corrosive to metals. Causes severe skin burns and eye damage. Harmful to aquatic life.
Precautionary statement(s) P234 P260 P264 P273 P280	Keep only in original packaging. Do not breathe dust or mist. Wash skin thoroughly after handling. Avoid release to the environment. Wear protective gloves/ protective clothing/ eye protection/ face
P301 + P330 + P331 P303 + P361 + P353 P304 + P340 + P310	protection. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313 P363 P390 P405 P501	If eye irritation persists: Get medical advice/ attention. Wash contaminated clothing before reuse. Absorb spillage to prevent material damage. Store locked up. Dispose of contents/ container to an approved waste disposal plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

# **SECTION 3: Composition/information on ingredients**

# 3.1 Substances

Synonyms	:	'Caustic soda'
Formula	-	HNaO
Molecular weight		40.00 g/mol
CAS-No.	:	1310-73-2
EC-No.	:	215-185-5
Index-No.	:	011-002-00-6

Component	Classification	Concentration *
Sodium hydroxide		
	Met. Corr. 1; Skin Corr. 1A; Eye Irrit. 2A; Aquatic Acute 3; H290, H314, H319, H402 Concentration limits: 0.5 - < 2 %: Skin Irrit. 2, H315; 0.5 - < 2 %: Eye Irrit. 2, H319; >= 5 %: Skin Corr. 1A, H314; 2 - <	<= 100 %

SIGALD - 306576

Page 2 of 10



|--|

\* Weight percent

For the full text of the H-Statements mentioned in this Section, see Section 16.

# SECTION 4: First aid measures

# 4.1 Description of first aid measures

# General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

# In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.Continue rinsing eyes during transport to hospital.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**4.3 Indication of any immediate medical attention and special treatment needed** No data available

# **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

# Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

- **5.2 Special hazards arising from the substance or mixture** Sodium oxides
- **5.3 Advice for firefighters** Wear self-contained breathing apparatus for firefighting if necessary.
- **5.4 Further information** No data available

SIGALD - 306576

Page 3 of 10



# **SECTION 6: Accidental release measures**

**6.1 Personal precautions, protective equipment and emergency procedures** Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

# 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

# **6.3 Methods and materials for containment and cleaning up** Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

**6.4** Reference to other sections For disposal see section 13.

# SECTION 7: Handling and storage

# 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed. For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Storage class (TRGS 510): 8B: Non-combustible, corrosive hazardous materials

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

#### Components with workplace control parameters

components with workplace control parameters				
Components	CAS-No.	Value	Control parameters	Basis
Sodium hydroxide	1310-73-2	С	2 mg/m3	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
Remarks	A substance	which may not be recirculated in accordance with section 108		
		(c)	2 mg/m3	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
		•	sure limit is based on irritation effects and its adjustment t nusual work schedules is not required	

SIGALD - 306576

Page 4 of 10



	С	2 mg/m3	Canada. British Columbia OEL
	С	2 mg/m3	USA. ACGIH Threshold Limit Values (TLV)

# **Derived No Effect Level (DNEL)**

Application Area	Exposure routes	Health effect	Value
Workers	Inhalation	Long-term local effects	1 mg/m3
Consumers	Inhalation	Long-term local effects	1 mg/m3

#### 8.2 Exposure controls

# **Appropriate engineering controls**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

#### **Personal protective equipment**

# Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

# **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

#### **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

SIGALD - 306576

Page 5 of 10



# **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a fullface particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

# **Control of environmental exposure**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

# SECTION 9: Physical and chemical properties

# 9.1 Information on basic physical and chemical properties

		.,
a)	Appearance	Form: pellets Colour: white
b)	Odour	odourless
c)	Odour Threshold	No data available
d)	рН	ca.> 14 at 100 g/l at 20 °C (68 °F)
e)	Melting point/freezing point	Melting point/range: 318 °C (604 °F)
f)	Initial boiling point and boiling range	1,390 °C 2,534 °F at 1,013 hPa
g)	Flash point	()No data available
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	The product is not flammable.
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapour pressure	< 24.00 hPa at 20 °C (68 °F) 4.00 hPa at 37 °C(99 °F)
I)	Vapour density	1.38 - (Air = 1.0)
m)	Relative density	2.13 g/cm3 at 20 °C (68 °F)
n)	Water solubility	1,090 g/l at 20 °C (68 °F)
o)	Partition coefficient: n-octanol/water	Not applicable for inorganic substances
p)	Auto-ignition temperature	No data available
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	No data available

SIGALD - 306576

Page 6 of 10



# 9.2 Other safety information

Bulk density	ca.1,150 kg/m3
Relative vapour densitv	1.38 - (Air = 1.0)

#### **SECTION 10: Stability and reactivity**

#### **10.1 Reactivity**

No data available

- **10.2 Chemical stability** Stable under recommended storage conditions.
- **10.3 Possibility of hazardous reactions** No data available
- **10.4 Conditions to avoid** No data available
- **10.5 Incompatible materials** Strong oxidizing agents, Strong acids, Organic materials

#### 10.6 Hazardous decomposition products Hazardous decomposition products formed under fire conditions. - Sodium oxides Other decomposition products - No data available In the event of fire: see section 5

# **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

# Acute toxicity

No data available Inhalation: Corrosive to respiratory system. Dermal: No data available No data available

# Skin corrosion/irritation

Skin - Rabbit Result: Severe skin irritation - 24 h Remarks: (RTECS)

#### Serious eye damage/eye irritation

Eyes - Rabbit Result: Causes serious eye irritation. (OECD Test Guideline 405) Causes serious eye damage.

# **Respiratory or skin sensitisation**

Patch test: - Human Result: negative Remarks: (ECHA)

**Germ cell mutagenicity** No data available

SIGALD - 306576

Page 7 of 10



# Carcinogenicity

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

# **Reproductive toxicity**

No data available

# Specific target organ toxicity - single exposure

No data available

Acute oral toxicity - If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the oesophagus and the stomach.

Acute inhalation toxicity - burns of mucous membranes, Cough, Shortness of breath, Possible damages:, damage of respiratory tract

# Specific target organ toxicity - repeated exposure

No data available

#### **Aspiration hazard** No data available

NO UALA AVAIIADIE

# Additional Information

RTECS: WB4900000

burning sensation, Cough, wheezing, laryngitis, Shortness of breath, spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

# SECTION 12: Ecological information

# 12.1 Toxicity

Toxicity to fish	LC50 - Gambusia affinis (Mosquito fish) - 125 mg/l - 96 h Remarks: (ECOTOX Database)
Toxicity to daphnia and other aquatic invertebrates	EC50 - Ceriodaphnia (water flea) - 40.4 mg/l - 48 h Remarks: (ECHA)
Toxicity to bacteria	EC50 - Photobacterium phosphoreum - 22 mg/l - 15 min Remarks: (External MSDS)

# 12.2 Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

**12.3 Bioaccumulative potential** No data available

#### **12.4 Mobility in soil** No data available

# 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

SIGALD - 306576

Page 8 of 10



# **12.6 Other adverse effects**

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic life. Harmful effect due to pH shift. Forms corrosive mixtures with water even if diluted. Neutralisation possible in waste water treatment plants. Discharge into the environment must be avoided.

# **SECTION 13: Disposal considerations**

# **13.1 Waste treatment methods**

# Product

Offer surplus and non-recyclable solutions to a licensed disposal company.

# Contaminated packaging

Dispose of as unused product.

# **SECTION 14:** Transport information

# DOT (US)

UN number: 1823 Class: 8 Packing group: II Proper shipping name: Sodium hydroxide, solid Reportable Quantity (RQ): 1000 lbs Poison Inhalation Hazard: No

# IMDG

UN number: 1823 Class: 8 Packing group: II Proper shipping name: SODIUM HYDROXIDE, SOLID

EMS-No: F-A, S-B

# ΙΑΤΑ

UN number: 1823 Class: 8 Packing group: II Proper shipping name: Sodium hydroxide, solid

# SECTION 15: Regulatory information

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR.

# **SECTION 16: Other information**

# **Further information**

Copyright 2018 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any

SIGALD - 306576

Page 9 of 10



damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.2

Revision Date: 17.10.2019

Print Date: 21.08.2020

SIGALD - 306576

Page 10 of 10

